



NISSAN NP300 NAVARA KING CAB 4X2 SPECIFICATIONS

GRADE	KING CAB (CALIBRE)				KING CAB			
	Calibre S 6MT	Calibre E 6MT	Calibre EL 6MT	Calibre V 7AT	S 6MT	E 6MT	V 6MT	
DIMENSION & WEIGHT								
Overall length	mm	5,255	5,255	5,255	5,255	5,230	5,230	5,230
Overall width	mm	1,850	1,850	1,850	1,850	1,790	1,790	1,790
Overall height	mm	1,755	1,755	1,755	1,755	1,720	1,745	1,745
Wheelbase	mm	3,150	3,150	3,150	3,150	3,150	3,150	3,150
Tread front/rear	mm	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,560 / 1,560	1,550 / 1,550	1,550 / 1,550
Ground Clearance	mm	219	219	219	219	181	205	205
Rear bed dimension (L x W x H)	mm	1,788 x 1,560 x 474	1,788 x 1,560 x 474	1,788 x 1,560 x 474	1,788 x 1,560 x 474	1,788 x 1,560 x 474	1,788 x 1,560 x 474	1,788 x 1,560 x 474
Curb weight	Kg	1,560	1,564	1,564	1,590	1,520	1,533	1,538
Wheel		Alloy 16 x 7J	Alloy 16 x 7J	Alloy 16 x 7J	Alloy 16 x 7J	Steel 15 x 5.5J	Alloy 16 x 6J	Alloy 16 x 6J
Tires		255/70R16	255/70R16	255/70R16	255/70R16	195R15C	205R16C	205R16C
Spare Wheel & Tire		Steel 255/70R16	Steel 255/70R16	Steel 255/70R16	Steel 255/70R16	Steel 195R15C	Steel 205R16C	Steel 205R16C
ENGINE								
Model		YD25DDTi	YD25DDTi	YD25DDTi	YD25DDTi	YD25DDTi	YD25DDTi	YD25DDTi
Type		In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler
Fuel supply system		Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits
Bore x Stroke	mm	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0
Displacement	cc	2,488	2,488	2,488	2,488	2,488	2,488	2,488
Max. power	Kw (hp) /rpm	120 (163) / 3600	120 (163) / 3600	120 (163) / 3600	120 (163) / 3600	120 (163) / 3600	120 (163) / 3600	120 (163) / 3600
Max. torque	N-m (Kg-m) /rpm	403 (41.1) / 2000	403 (41.1) / 2000	403 (41.1) / 2000	403 (41.1) / 2000	403 (41.1) / 2000	403 (41.1) / 2000	403 (41.1) / 2000
Compress ratio		15 : 1	15 : 1	15 : 1	15 : 1	15 : 1	15 : 1	15 : 1
Fuel tank capacity	Liter	80	80	80	80	80	80	80
Emission class		Euro 4	Euro 4	Euro 4	Euro 4	Euro 4	Euro 4	Euro 4
TRANSMISSION								
Type		6MT	6MT	6MT	7AT with Manual mode	6MT	6MT	6MT



NISSAN NP300 NAVARA KING CAB 4X2 SPECIFICATIONS

GRADE		KING CAB (CALIBRE)				KING CAB		
		Calibre S 6MT	Calibre E 6MT	Calibre EL 6MT	Calibre V 7AT	S 6MT	E 6MT	V 6MT
Gear ratio	1st	4.685	4.685	4.685	4.887	4.685	4.685	4.685
	2nd	2.479	2.479	2.479	3.170	2.479	2.479	2.479
	3rd	1.624	1.624	1.624	2.027	1.624	1.624	1.624
	4th	1.208	1.208	1.208	1.412	1.208	1.208	1.208
	5th	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	6th	0.809	0.809	0.809	0.864	0.809	0.809	0.809
	7th	-	-	-	0.775	-	-	-
	Reverse	4.709	4.709	4.709	4.041	4.709	4.709	4.709
	Final gear ratio	3.917	3.917	3.917	3.357	3.539	3.692	3.692
SUSPENSION								
Front		Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar
Rear		Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber
BRAKES								
Front		Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
Rear		Drum brake with load-sensing proportioning valves (LSV)	Drum brake	Drum brake	Drum brake	Drum brake with load-sensing proportioning valves (LSV)	Drum brake with load-sensing proportioning valves (LSV)	Drum brake
STEERING								
Type		Rack and Pinion	Rack and Pinion	Rack and Pinion	Rack and Pinion	Rack and Pinion	Rack and Pinion	Rack and Pinion
Turning Radius		m	6.2	6.2	6.2	5.9	5.9	5.9
EXTERIOR								
Front grille		Chrome	Chrome	Chrome	Chrome	Silver	Chrome	Chrome
Front bumper		Body Color	Body Color	Body Color	Body Color	Body Color	Body Color	Body Color
Rear bumper		Chrome	Chrome	Chrome	Chrome	-	-	-
Chrome door waist molding		-	-	-	-	-	-	-
Rear Spoiler		O	O	O	O	O	O	O



NISSAN NP300 NAVARA KING CAB 4X2 SPECIFICATIONS

GRADE	KING CAB (CALIBRE)				KING CAB		
	Calibre S 6MT	Calibre E 6MT	Calibre EL 6MT	Calibre V 7AT	S 6MT	E 6MT	V 6MT
Front headlamp							
- Type	LED Projector	LED Projector	LED Projector	LED Projector	Halogen	Halogen	Halogen
- LED Positioning	O	O	O	O	-	-	-
- Auto On-Off	-	-	-	O	-	-	-
Daytime running light	O	O	O	O	-	-	-
Front Fog Lamp	-	O	O	O	-	-	O
Outside Door Mirror							
- Color	Chrome	Chrome	Chrome	Chrome	Black	Chrome	Chrome
- Electric Adjustable	O	With Electric Foldable	With Electric Foldable	With Electric Foldable	O	O	With Electric Foldable
- LED Turning lamp	-	O	O	O	-	-	O
Outside Door Handle	Color	Chrome	Chrome	Chrome	Black	Chrome	Chrome
Side Step	O	O	O	O	-	-	-
Front Wiper	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent
Mud Guard	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear
INTERIOR							
Interior Color	Beige	Black	Black	Black	Beige	Beige	Black
Front control dashboard (Audio and Air-con)	Black	Black with Piano Black decoration	Black with Piano Black decoration	Black with Piano Black decoration	Black	Black	Black with Piano Black decoration
Center console with 12V output	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder
Ventilation for rear seat	O	O	O	O	O	O	O
Door Pocket	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder
Audio, with FM / AM	CD / MP3 with 5" Display Audio	CD / MP3 with 5" Display Audio	DVD / MP3 with 7" Touch Screen	DVD / MP3 with 7" Touch Screen	2DIN CD / MP3	2DIN CD / MP3	CD / MP3 with 5" Display Audio
Navigator	-	-	-	O	-	-	-
No. of Speakers	4	4	4	4	4	4	4
USB / AUX input	O	O	O	O	O	O	O
Air Conditioning System	O	Push Type	Push Type	Automatic Dual Zone	O	O	Push Type



NISSAN NP300 NAVARA KING CAB 4X2 SPECIFICATIONS

GRADE	KING CAB (CALIBRE)				KING CAB		
	Calibre S 6MT	Calibre E 6MT	Calibre EL 6MT	Calibre V 7AT	S 6MT	E 6MT	V 6MT
Power Steering							
- Tilt Adjustment	O	O	O	O	-	O	O
- Type	Urethane with silver finisher	Urethane with silver finisher	Urethane with silver finisher	Urethane with silver finisher	Urethane	Urethane with silver finisher	Urethane with silver finisher
- Audio switch	-	O	O	O	-	-	O
Meter							
- Tachometer	O	O	O	O	O	O	O
- Odometer	Digital	Digital	Digital	Digital	Digital	Digital	Digital
- Fine vision	-	O	O	O	-	-	O
Multi Information Display	Digital type	3D Display type	3D Display type	3D Display type	Digital type	Digital type	3D Display type
Digital Clock	O	O	O	O	O	Oh	O
Bluetooth Connection	-	O	O	O	-	-	O
Power window	One touch auto up / down, Anti-pinch (DR side only)	One touch auto up / down, Anti-pinch (DR side only)	One touch auto up / down, Anti-pinch (DR side only)	One touch auto up / down, Anti-pinch (DR side only)	One touch auto up / down, Anti-pinch (DR side only)	One touch auto up / down, Anti-pinch (DR side only)	One touch auto up / down, Anti-pinch (DR side only)
Central Door Lock	O	O	O	O	O	O	O
Seat							
- Type	Captain Seat	Captain Seat	Captain Seat	Captain Seat	Captain Seat	Captain Seat	Captain Seat
- Seat / Door Trim material	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth
- Color	Beige	Black	Black	Black	Beige	Beige	Black
Front Seat							
- DR side	6-ways adjustment	6-ways adjustment	6-ways adjustment	6-ways adjustment	6-ways adjustment	6-ways adjustment	6-ways adjustment
- AS side	4-ways adjustment	4-ways adjustment	4-ways adjustment	4-ways adjustment	4-ways adjustment	4-ways adjustment	4-ways adjustment
- Headrest	O	O	O	O	O	O	O
Front Sun Visor	O	with illuminated vanity mirror (Both side) and ticket holder (Driver side)	with illuminated vanity mirror (Both side) and ticket holder (Driver side)	with illuminated vanity mirror (Both side) and ticket holder (Driver side)	O	O	with illuminated vanity mirror (Both side) and ticket holder (Driver side)
Lamp							
- Room lamp	O	O	O	O	O	O	O



NISSAN NP300 NAVARA KING CAB 4X2

SPECIFICATIONS

GRADE	KING CAB (CALIBRE)				KING CAB		
	Calibre S 6MT	Calibre E 6MT	Calibre EL 6MT	Calibre V 7AT	S 6MT	E 6MT	V 6MT
- Map lamp	O	O	O	O	O	O	O
Sunglass holder	-	O	O	O	-	-	O
Room mirror with dimming	O	O	O	Auto Dimming with compass	O	O	O
Cruise control	-	O	O	O	-	-	O
Push Start	-	O	O	O	-	-	O
SAFETY							
ABS with EBD and BA	-	O	O	O	-	-	O
Dual Front airbag	-	O	O	O	-	-	O
Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass
Rear defogger	O	O	O	O	-	O	O
High mount stop lamp (LED Type)	O	O	O	O	O	O	O
Seatbelt							
- Front seat	ELR 3 Points X 2	ELR 3 Points X 2 with pretensioner and load limiter	ELR 3 Points X 2 with pretensioner and load limiter	ELR 3 Points X 2 with pretensioner and load limiter	ELR 3 Points X 2	ELR 3 Points X 2	ELR 3 Points X 2 with pretensioner and load limiter
- Adjustable	O	O	O	O	O	O	O
Remote Key	O	with Immobilizer and anti-theft alarm	with Immobilizer and anti-theft alarm	with Immobilizer and anti-theft alarm	O	O	with Immobilizer and anti-theft alarm
Intelligent Key	-	O	O	O	-	-	O
Rear view camera	O	O	O	O	-	-	-
Zone body structure	O	O	O	O	O	O	O
Side impact door beam	O	O	O	O	O	O	O
Crashable steering column	O	O	O	O	O	O	O
Automatic fuel valve cut (When rollover)	O	O	O	O	O	O	O



NISSAN NP300 NAVARA KING CAB 4X4 SPECIFICATIONS

GRADE		KING CAB 4WD	
		4WD V 6MT	
DIMENSION & WEIGHT			
Overall length	mm	5,255	
Overall width	mm	1,850	
Overall height	mm	1,760	
Wheelbase	mm	3,150	
Tread front/rear	mm	1,570 / 1,570	
Ground Clearance	mm	220	
Rear bed dimension (L x W x H)	mm	1,788 x 1,560 x 474	
Curb weight	Kg	1,600	
Wheel		Alloy 16 x 7J	
Tires		255/70R16	
Spare Wheel & Tire		Steel 255/70R16	
ENGINE			
Model		YD25DDTi	
Type		In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	
Fuel supply system		Commonrail controlled by ECCS 32 bits	
Bore x Stroke	mm	89.0 x 100.0	
Displacement	cc	2,488	
Max. power	Kw (hp) /rpm	140 (190) / 3,600	
Max. torque	N-m (Kg-m) /rpm	450 (45.9) / 2,000	
Compress ratio		15 : 1	
Fuel tank capacity	Liter	80	
Emission class		Euro 4	
TRANSMISSION			
Type		6MT	
Gear ratio	1st	4.685	



NISSAN NP300 NAVARA KING CAB 4X4 SPECIFICATIONS

GRADE		KING CAB 4WD
		4WD V 6MT
	2nd	2.479
	3rd	1.624
	4th	1.208
	5th	1.000
	6th	0.809
	Reverse	4.709
	Final gear ratio	3.692
SUSPENSION		
Front	Independent double-wishbone with front stabilizer bar	
Rear	Multi-leaf with shock absorber	
BRAKES		
Front	Ventilated disc	
Rear	Drum brake	
STEERING		
Type	Rack and pinion	
Turning Radius	m	6.2
EXTERIOR		
Front grille	Chrome	
Front bumper	Body Color	
Rear bumper	Chrome	
Chrome door waist molding	-	
Rear spoiler	O	
Roof Rail	-	
Front headlamp		
- Type	LED Projector	



NISSAN NP300 NAVARA KING CAB 4X4 SPECIFICATIONS

GRADE	KING CAB 4WD	
	4WD V 6MT	
- LED Positioning		O
- Auto On-Off		O
Daytime Running Light		O
Front Fog Lamp		O
Outside Door Mirror		
- Color		Chrome
- Electric Adjustable		With Electric Foldable
- LED Turning lamp		O
Outside Door Handle	Color	Chrome
Side Step		O
Front wiper		2 speed with variable intermittent
Mud Guard		Front and Rear
INTERIOR		
Interior Color		Black
Front control dashboard (Audio and Air-con)		Black with Piano Black decoration
Center console with 12V output		With lid and 2 cup holder
Ventilation for rear seat		O
Door Pocket		Front and Rear with bottle holder
Audio, with FM / AM		DVD / MP3 with 7" Touch Screen
Navigator		O
No. of Speakers		4
USB / AUX input		O
Air Conditioning System		Automatic Dual Zone
Power Steering		
- Tilt Adjustment		O



NISSAN NP300 NAVARA KING CAB 4X4 SPECIFICATIONS

GRADE	KING CAB 4WD
	4WD V 6MT
- Type	Urethane with silver finisher
- Audio switch	O
Meter	
- Tachometer	O
- Odometer	Digital
- Fine vision	O
Multi Information Display	3D Display type
Digital Clock	O
Bluetooth Connection	O
Power window	One touch auto up / down, Anti-pinch (DR side only)
Central Door Lock	O
Seat	
- Type	Captain Seat
- Seat / Door Trim material	Cloth
- Color	Black
Front Seat	
- DR side	6-ways adjustment
- AS side	4-ways adjustment
- Headrest	O
Front Sun Visor	with illuminated vanity mirror (Both side) and ticket holder (Driver side)
Lamp	
- Room lamp	O
- Map lamp	O
Sunglass holder	O



NISSAN NP300 NAVARA KING CAB 4X4 SPECIFICATIONS

GRADE	KING CAB 4WD
	4WD V 6MT
Room mirror with dimming	Auto Dimming with compass
Cruise control	O
Push Start	O
SAFETY	
ABS with EBD and BA	O
Dual Front airbag	O
Limited Slip Differential (LSD)	O
VDC	O
HSA and HDC	O
TCS	O
Laminated Glass	Laminated Glass
Rear defogger	O
High mount stop lamp (LED Type)	O
Seatbelt	
- Front seat	ELR 3 points X 2 with pretensioner and load limiter
- Adjustable	O
Remote Key	with Immobilizer and anti-theft alarm
Intelligent Key	O
Rear View Camera	O
Zone body structure	O
Side impact door beam	O
Crashable steering column	O
Automatic fuel valve cut (When rollover)	O